

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Printing date 24.02.2017

Revision: 24.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

SELMAT/ KALOCHEM NEROLI

Article number:

4263229

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not for personal use. Only for industrial use.

Application of the substance / the mixture

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GOSB Tembelova Alanı 3300 sokak No: 3306
Gebze, Kocaeli / Turkiye

Further information obtainable from:

kalite@gulcicek.com

1.4 Emergency telephone number:

+90 (262) 677 00 00 pbx Only available during office hours (UTC+2)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS05

GHS07

GHS09

Signal word

Danger

Hazard-determining components of labelling:

Geraniol
Benzyl Salicylate
NEROLI FRACTION MD
(R)-p-mentha-1,8-diene

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients

Description:

Multi component mixture.

Dangerous components:

CAS: 60-12-8 2-phenylethanol
EINECS: 200-456-2 Acute Tox. 4, H302; Eye Irrit. 2, H319

20-25%

(Contd. on page 2)

EU

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Printing date 24.02.2017

Revision: 24.02.2017

Trade name: **SELMAT/ KALOCHER NEROLI**

		(Contd. of page 1)
CAS: 78-70-6	Linalool	15-20%
EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 134-20-3	methyl anthranilate	10-15%
EINECS: 205-132-4	Eye Irrit. 2, H319	
CAS: 8050-15-5	Methyl ester of rosin	10-15%
EINECS: 232-476-2	Aquatic Chronic 3, H412	
CAS: 93-08-3	2'-acetonaphthone	5-10%
EINECS: 202-216-2	Acute Tox. 4, H302	
CAS: 115-95-7	3,7-dimethyl-1,6-octadien-3-yl acetate	2,5-5%
EINECS: 204-116-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 118-58-1	Benzyl Salicylate	2,5-5%
EINECS: 204-262-9	Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 120-51-4	Benzyl benzoate	2,5-5%
EINECS: 204-402-9	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302	
Index number: 607-085-00-9		
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	1-2,5%
EINECS: 227-813-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
Index number: 601-029-00-7		
CAS: 106-24-1	Geraniol	1-2,5%
EINECS: 203-377-1	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 100-51-6	Benzyl alcohol	1-2,5%
EINECS: 202-859-9	Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	
Index number: 603-057-00-5		
CAS: 106-25-2	nerol	1-2,5%
EINECS: 203-378-7	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 63500-71-0	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	1-2,5%
ELINCS: 405-040-6	Eye Irrit. 2, H319	
	NEROLI FRACTION MD	1-2,5%
	Asp. Tox. 1, H304; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 80-56-8	pin-2(3)-ene	0,1-1%
EINECS: 201-291-9	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 7212-44-4	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	0,1-1%
EINECS: 230-597-5	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	
CAS: 127-91-3	beta-Pinene	0,1-1%
EINECS: 204-872-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
Additional information:	For the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, foam, dry chemical.

Never use a direct water jet on burning material.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Additional information

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

EU

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Printing date 24.02.2017

Revision: 24.02.2017

Trade name: **SELMAT/ KALOCHEM NEROLI**

(Contd. of page 2)

6.4 Reference to other sections

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Clean the affected area carefully; suitable cleaners are:
Warm water and cleansing agent
Organic solvent
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Protect from heat.

Information about fire - and explosion protection:

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Not required.
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.
Protect from humidity and water.
Protect from exposure to the light.
Store in a cool place.

Further information about storage conditions:

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
The lists valid during the making were used as basis.

Additional information:

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not eat or drink while working.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

Appearance:

Form: Clear, Liquid

Colour: Pale Yellow

Odour: Citrus, Floral

Flash point: 88 °C

Self-igniting: Product is not selfigniting.

(Contd. on page 4)

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Printing date 24.02.2017

Revision: 24.02.2017

Trade name: **SELMAT/ KALOCHER NEROLI**

(Contd. of page 3)

. Danger of explosion:	Product does not present an explosion hazard.
. Density at 25 °C:	0,994-1,004 g/cm ³
. Refractive Index at 25 °C:	1.5140-1.5210
. Solubility in / Miscibility with water:	Not miscible or difficult to mix.
. alcohols:	Fully miscible.
. 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

. 10.1 Reactivity	No further relevant information available.
. 10.2 Chemical stability	Stable in standard conditions.
. Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
. 10.3 Possibility of hazardous reactions	It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
. 10.4 Conditions to avoid	Direct heat sources.
. 10.5 Incompatible materials:	No further relevant information available.
. 10.6 Hazardous decomposition products:	Carbon Monoxide and Unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

. 11.1 Information on toxicological effects	
. Acute toxicity	Based on available data, the classification criteria are not met.
. LD/LC50 values relevant for classification:	
60-12-8 2-phenylethanol	
Oral LD50 1790 mg/kg (rat)	
Dermal LD50 790 mg/kg (rabbit)	
8050-15-5 Methyl ester of rosin	
Oral LD50 >2000 mg/kg (rat)	
118-58-1 Benzyl Salicylate	
Oral LD50 2227 mg/kg (rat)	
Dermal LD50 14150 mg/kg (rabbit)	
120-51-4 Benzyl benzoate	
Oral LD50 1700 mg/kg (rat)	
Dermal LD50 4000 mg/kg (rabbit)	
5989-27-5 (R)-p-mentha-1,8-diene	
Oral LD50 4400 mg/kg (rat)	
. Primary irritant effect:	
. Skin corrosion/irritation	Causes skin irritation.
. Serious eye damage/irritation	Causes serious eye damage.
. Respiratory or skin sensitisation	May cause an allergic skin reaction.
. CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)	
. Germ cell mutagenicity	Based on available data, the classification criteria are not met.
. Carcinogenicity	Based on available data, the classification criteria are not met.
. Reproductive toxicity	Based on available data, the classification criteria are not met.
. STOT-single exposure	Based on available data, the classification criteria are not met.
. STOT-repeated exposure	Based on available data, the classification criteria are not met.
. Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

. 12.1 Toxicity	
. Aquatic toxicity:	
118-58-1 Benzyl Salicylate	
EC50 1,70 mg/kg (daphnia)	
. 12.2 Persistence and degradability	No further relevant information available.
. 12.3 Bioaccumulative potential	No further relevant information available.
. 12.4 Mobility in soil	No further relevant information available.
. Ecotoxicological effects:	
. Remark:	Toxic for fish
. Additional ecological information:	
. General notes:	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms
. 12.5 Results of PBT and vPvB assessment	
. PBT:	Not applicable.
. vPvB:	Not applicable.
. 12.6 Other adverse effects	No further relevant information available.

(Contd. on page 5)

EU

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Printing date 24.02.2017

Revision: 24.02.2017

Trade name: **SELMAT/ KALOCHEM NEROLI**

(Contd. of page 4)

SECTION 13: Disposal considerations

- . **13.1 Waste treatment methods**
- . Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- . **14.1 UN-Number**
- . ADR, IMDG, IATA: UN3082
- . **14.2 UN proper shipping name**
- . ADR: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, Benzyl Salicylate)
- . IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, Benzyl Salicylate), MARINE POLLUTANT
- . IATA: Environmentally hazardous substance, liquid, n.o.s. (Dipentene, Benzyl Salicylate)
- . **14.3 Transport hazard class(es)**
- . ADR, IMDG, IATA:



- . Class: 9 Miscellaneous dangerous substances and articles.
- . Label: 9
- . **14.4 Packing group**
- . ADR, IMDG, IATA: III
- . **14.5 Environmental hazards:**
- . Marine pollutant: Product contains environmentally hazardous substances: Benzyl benzoate
- . Special marking (ADR): Symbol (fish and tree)
- . Special marking (IATA): Symbol (fish and tree)
- . **14.6 Special precautions for user**
- . Danger code (Kemler): Warning: Miscellaneous dangerous substances and articles.
- . EMS Number: 90
- . Stowage Category: F-A,S-F
- . **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**: A
- . Transport/Additional information: Not applicable.

Transport/Additional information:

- . ADR
- . Limited quantities (LQ): 5L
- . Excepted quantities (EQ): Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- . Transport category: 3
- . Tunnel restriction code: E

- . IMDG
- . Limited quantities (LQ): 5L
- . Excepted quantities (EQ): Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- . UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, BENZYL SALICYLATE), 9, III

SECTION 15: Regulatory information

- . **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- . Directive 2012/18/EU
- . Named dangerous substances - ANNEX I: None of the ingredients is listed.
- . Seveso category: E2 Hazardous to the Aquatic Environment
- . Qualifying quantity (tonnes) for the application of lower-tier requirements: 200 t
- . Qualifying quantity (tonnes) for the application of upper-tier requirements: 500 t
- . **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . Relevant phrases: H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Printing date 24.02.2017

Revision: 24.02.2017

Trade name: **SELMAT/ KALOCHEM NEROLI**

(Contd. of page 5)

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products.

Recommended restriction of use

Customs tariffs:

Contact:

Abbreviations and acronyms:

3302.90.90.00.00

N. Dikenoğlu

kalite@gulcicek.com

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3