



RAJWAX[®] – PARAFFIN WAX

Raj Petro Specialities Pvt. Ltd urges the recipient of this Safety Data Sheet to study it carefully to become aware of hazards, if any, of the product involved. In the interest of safety you should (1) notify your employees, agents and contractors of the information on this sheet,(2) furnish a copy to each of your customers for the product, and (3) request your customers to inform their employees and customers as well.

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Identification of the substance or preparation : RAJWAX[®] - PARAFFIN WAX

Brand Names : RAJWAX[®]

Usage : External / Cosmetic Applications

Appearance : White to off white Hard solid slabs.

Company identification : RAJ PETRO SPECIALITIES PVT. LIMITED
No: 156, Poonamallee High Road, Kilpauk, Chennai – 600 010. India

Emergency telephone number : + 91 – 44 – 42288900 to 42288910.

Fax Number : + 91 – 44 – 42288912

E Mail : marketing_rl@rajgrp.com / exports@rajgrp.com.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component Name	CAS No	Conc. (% w/w)
➤ Paraffin wax	8002-74-2	99.0 – 100 %
➤ Paraffinic Oil	8042-47-5	0 – 1.0 %

Others

Contact information:	2A-D, 'Doshi Towers', 156, Poonamallee High Rd Kilpauk, Chennai-10. India Ph: (91)-44-42288900 Fax: +91-44-42288912 / 995	Boomerang Business Centre, B-1, B Wing, 1 st Floor, Chandivali Farm Road, Yadav Nagar, Andheri (East), Mumbai – 72, India. Tel : 022-61993300 / 61993333
E-mail:	For International Sales : exports@rajgrp.com . For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com	
Website:	www.rajgrp.com	



RAJWAX[®] – PARAFFIN WAX

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS: EMERGENCY OVERVIEW

Human	:	Safe nuisance effect in high concentrations.
Eyes	:	Any material in eye, Nuisance effect, consult physician.
Skin	:	Use oil resistant gloves that overalls to minimize skin contact and contamination of personal clothing.
Ingestion	:	None expected considered an unlikely event.
Inhalation	:	None expected. Nuisance effect in high concentrations.
Ecological	:	N/A

4. FIRST AID MEASURES

Eyes	:	Any material in eyes should be washed out and medical attention obtained if symptom persist.
Skin	:	If burned by contact with molten material, cool as quickly as possible with water and see a physician for treatment of Burn.
Ingestion	:	N/A.
Inhalation	:	In the event of dizziness or nausea, remove casualty to fresh air. If symptoms persist obtain medical attention. If breathing stops give assisted respiration by the mouth to mouth or mouth to nose method.

Contact information:

2A-D, 'Doshi Towers',
156, Poonamallee High Rd
Kilpauk, Chennai-10. India
Ph: (91)-44-42288900
Fax: +91-44-42288912 / 995

Boomerang Business Centre,
B-1, B Wing, 1st Floor,
Chandivali Farm Road, Yadav Nagar,
Andheri (East), Mumbai – 72, India.
Tel : 022-61993300 / 61993333

E-mail: For International Sales : exports@rajgrp.com. For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com
Website: www.rajgrp.com



RAJWAX[®] – PARAFFIN WAX

5. FIRE FIGHTING MEASURES

Flash Point	:	200 °C (Min)
Extinguishing Media	:	CO ₂ , Foam, Dry chemical and extinguishers. Sand or earth may be used to smother small fires.
Special Exposure Hazards	:	Not established.
Protective Equipment for Fire – Fighting	:	Self contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	:	Safety glasses, chemical goggles (if splashing possible)
Environmental Precautions	:	Heat resistant gloves for handling molten material.
Spillage	:	Allow to solidify, scrape up and treat as solid.

7. HANDLING AND STORAGE

Handling	:	No special precautions are necessary beyond good hygiene practice.
Storage	:	Store temperature 10 °C – 35 °C must be kept dry.

Contact information:	2A-D, 'Doshi Towers', 156, Poonamallee High Rd Kilpauk, Chennai-10. India Ph: (91)-44-42288900 Fax: +91-44-42288912 / 995	Boomerang Business Centre, B-1, B Wing, 1 st Floor, Chandivali Farm Road, Yadav Nagar, Andheri (East), Mumbai – 72, India. Tel : 022-61993300 / 61993333
E-mail:	For International Sales : exports@rajgrp.com . For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com	
Website:	www.rajgrp.com	



RAJWAX[®] – PARAFFIN WAX

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Control	:	Use adequate ventilation. For storage and ordinary handling, general ventilation is satisfactory.
Respiratory Protection	:	If concentration likely to exceed OES, suitable organic vapour mask..
Hand Protection	:	Use oil resistant gloves that overall to minimize skin contact and contamination of personal clothing.
Eye Protection	:	Wear safety glasses or goggles.
Other	:	Protective overall.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Stage	:	Solid wax Slab / pellets
Color	:	White to off white
Odor	:	Non - Offensive
Specific Gravity / Density @ 20 °C:	:	0.750 – 0.850 g/ml
Melting Point	:	55 – 65 °C
Flash Point	:	>200 °C
Vapor Pressure @ 20 °C	:	N/A .
Solubility in water (20 °C)	:	Insoluble.

Contact information:

2A-D, 'Doshi Towers',
156, Poonamallee High Rd
Kilpauk, Chennai-10. India
Ph: (91)-44-42288900
Fax: +91-44-42288912 / 995

Boomerang Business Centre,
B-1, B Wing, 1st Floor,
Chandivali Farm Road, Yadav Nagar,
Andheri (East), Mumbai – 72, India.
Tel : 022-61993300 / 61993333

E-mail: For International Sales : exports@rajgrp.com. For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com
Website: www.rajgrp.com



RAJWAX[®] – PARAFFIN WAX

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Materials to avoid	:	Water.

11. TOXICOLOGICAL INFORMATION

Acute Studies	:	Non toxic in normal conditions.
Eye	:	No irritant effect known.
Skin	:	None expected.
Ingestion	:	None expected.
Inhalation	:	None expected.
Long Term Studies		
Carcinogenicity	:	No data available.
Mutagenicity	:	No data available.
Reproductive Toxicity	:	No data available.

Contact information:

2A-D, 'Doshi Towers',
156, Poonamallee High Rd
Kilpauk, Chennai-10. India
Ph: (91)-44-42288900
Fax: +91-44-42288912 / 995

Boomerang Business Centre,
B-1, B Wing, 1st Floor,
Chandivali Farm Road, Yadav Nagar,
Andheri (East), Mumbai – 72, India.
Tel : 022-61993300 / 61993333

E-mail: For International Sales : exports@rajgrp.com. For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com
Website: www.rajgrp.com



RAJWAX[®] – PARAFFIN WAX

12. ECOLOGICAL INFORMATION

Persistence in the Environment	: None.
Toxic Effects on organisms	: None.
Fish	: No data available.
Daphnia Magna	: No data available.
Birds	: No data available.

13. DISPOSAL CONSIDERATIONS

Product Disposal	: Treat as solid, combustible material.
Container Disposal	: Normal Industrial waste.

14. TRANSPORT INFORMATION

ADR/RID	: Not Regulated - Non Hazardous
IMDG	: Not Regulated - Non Hazardous
ICAO	: Not Regulated - Non Hazardous
UN Number	: Not Assigned
UN Class	: Not Assigned
UN Packaging Group	: Not Assigned

Contact information:

2A-D, 'Doshi Towers',
156, Poonamallee High Rd
Kilpauk, Chennai-10, India
Ph: (91)-44-42288900
Fax: +91-44-42288912 / 995

Boomerang Business Centre,
B-1, B Wing, 1st Floor,
Chandivali Farm Road, Yadav Nagar,
Andheri (East), Mumbai – 72, India.
Tel : 022-61993300 / 61993333

E-mail: For International Sales : exports@rajgrp.com. For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com
Website: www.rajgrp.com



RAJWAX[®] – PARAFFIN WAX

15. REGULATORY INFORMATION

Technical CAS No : None classified

Component Name : Paraffin waxes

The following precautions appear in the
'PRECAUTIONS' section of label / leaflet : Not appearing in the label.

16. OTHER INFORMATION

MSDS data issued : Under (CHIP) Chip regulations.

Disclaimer

The above information is intended to give general health and safety guidance on the storage and transport of the substance or product to which it relates. The requirement or recommendation of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product shall take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given. The information provided in this safety data sheet is accurate at the date of publication, and will be updated as when appropriate.

Contact information:

2A-D, 'Doshi Towers',
156, Poonamallee High Rd
Kilpauk, Chennai-10. India
Ph: (91)-44-42288900
Fax: +91-44-42288912 / 995

Boomerang Business Centre,
B-1, B Wing, 1st Floor,
Chandivali Farm Road, Yadav Nagar,
Andheri (East), Mumbai – 72, India.
Tel : 022-61993300 / 61993333

E-mail: For International Sales : exports@rajgrp.com. For Sales Within India: mktm@rajgrp.com / marketing_rl@rajgrp.com
Website: www.rajgrp.com
