

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: KL EX - SALT REMOVER

UFI: 3V00-A05C-Y00M-F8KN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable-Mixture of substances

Application of the substance / the mixture: Cleaner salts

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Kalogeropoulos Chemicals S.A.

D. Gounari 35, 185 31

Pireaus, Greece

Tel: +30 2104124518 Fax: +30 2104101607

e-mail: info@kalochem.gr website: www.kalochem.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS05

Signal word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 1)

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants

<5%

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 5949-29-1 | Citric Acid

EINECS: 201-069-1

Reg.nr.: 01-2119457026-42-XXXX

! Eye Irrit. 2, H319

≥10-<15%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Wash contaminated clothing before use.

After eve contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

(Contd. on page 3)

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 2)

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Rinse out mouth and then drink plenty of water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Wear protective clothing and gloves when use this product.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid inhalation of vapors.

Ensure adequate ventilation.

Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions: Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Avoid contact with skin, eyes and clothing.

Prevent formation of aerosols.

Avoid inhaling vapors.

Ensure adequate ventilation

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep containers tightly closed in a dry, cool, well-ventilated area.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store locked up

Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

PNECs

(CAS: 5949-29-1) Citric acid

0.44 mg/L (Water (Freshwater))

0.044 mg/L (Water (Marine Water))

>1000 mg/L (Sewage Treatment Plant (STP))

3.46 mg/kg sedim. dw (Sediment (Marine Water))

34.6 mg/kg sedim. dw (Sediment (Freshwater))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with skin and eyes.

Do not eat, drink or smoke while using the product.

Take off contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Do not breathe vapours or mists.

Respiratory protection:



In case of insufficient ventilation use suitable respiratory protective device.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Version number 3 (replaces version 2) Revision: 23.09.2021 **Printing date 23.09.2021**

Trade name: KL EX - SALT REMOVER

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:





Chemically resistant, protective work clothing (EN 14605) and boots.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Liquid Colour: Transparent **Odour:** Characteristic Not determined **Odour threshold: Melting point/freezing point:** Not determined **Flammability** Not applicable

Lower and upper explosion limit

Lower: Not determined Upper: Not determined Not applicable Flash point:

Product is not selfigniting. **Auto-ignition temperature:**

Not determined **Decomposition temperature:**

pH at 20 °C 1-2

Viscosity:

Kinematic viscosity Not determined

Kinematic viscosity

Dynamic: Not determined

Solubility

Easily soluble. water: Partition coefficient n-octanol/water (log value) Not determined Not determined **Vapour pressure:**

Density and/or relative density

Density: Not determined Relative density at 20 °C 1.02-1.04 g/ml Not determined Vapour density

(Contd. on page 6)

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 5)

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and

environment, and on safety.

Explosive properties: Product does not present an explosion hazard.

Cloud point / clarification point:

Oxidising properties Not considered as oxidising.

Evaporation rate Not determined

Information with regard to physical hazard classes Explosives

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 6)

		<u> </u>		
LD/LC50 values relevant for classification:				
CAS: 5949	CAS: 5949-29-1 Citric Acid			
Oral	LD50	11,700 mg/kg (gnp)		
Dermal	LD50	>2,000 mg/kg (rabbit)		
Inhalative	LC50/4 h (vapour)	5,800 mg/l		

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 5949-29-1 Citric Acid

EC50 (72h) 425 mg/l (algae)

EC50 (48h) 442 mg/l (fis)

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid doen in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of detergent manufacturer.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes:

Danger to drinking water if even small quantities leak into the ground.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

GB

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN3265
14.2 UN proper shipping name	
ADR	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC,
	N.O.S. (citric acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
,	(citric acid)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Compains substances
	8 Corrosive substances.
T - 1 1	0
Label	8
14.4 Packing group	8
14.4 Packing group	8 I
14.4 Packing group ADR, IMDG, IATA	
14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	I
14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: 14.6 Special precautions for user	I Not applicable.
14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: 14.6 Special precautions for user EMS Number: Segregation groups	I Not applicable. Warning: Corrosive substances.
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: 14.6 Special precautions for user EMS Number: Segregation groups Stowage Category Stowage Code	I Not applicable. Warning: Corrosive substances. F-A,S-B

GB

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

	(Contd. of page 8
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
· ·	Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC
-	N.O.S. (citric acid), 8, III

SECTION 15: Regulatory information

 $15.1\ Safety, health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ mixture$

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended Regulation (EC) No.648/2004 on detergents, as amended.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H319 Causes serious eye irritation.

(Contd. on page 10)

-GB

Printing date 23.09.2021 Version number 3 (replaces version 2) Revision: 23.09.2021

Trade name: KL EX - SALT REMOVER

(Contd. of page 9)

Department issuing SDS:



SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemyriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Product safety department.

Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

GB