

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier**Trade name: BEROL CLEANER KL689****UFI: U630-Y0T3-700Y-9GAD****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Cleaner for smoke, coal residues , oils & tar.**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Kalogeropoulos Chemicals S.A.

D. Gounari 35, 185 31

Pireaus, Greece

Tel: +30 2104124518

Fax: +30 2104101607

e-mail: info@kalochem.gr

website: www.kalochem.gr

1.4 Emergency telephone number:

European Emergency Tel.: 112

* **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture**Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS05

Signal word: Danger**Hazard-determining components of labelling:**

Sodium metasilicate

(Contd. on page 2)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 1)

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

phosphates	≥5 - <15%
non-ionic surfactants, cationic surfactants	<5%

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 10213-79-3	Sodium metasilicate	≥3-<5%
EINECS: 229-912-9	Met. Corr. 1, H290; Skin Corr. 1B, H314; STOT SE 3,	
Reg.nr.: 01-2119449811-37-XXXX	H335	

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 2)

After eye contact:

Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses if they are present.

Do not rub the eyes.

Seek immediate medical advice.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately.

Never make an unconscious person vomit or drink fluids

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of vapors or spray.

Ensure adequate ventilation.

6.1.1 For non-emergency personnel

Avoid contact with dripping or leaking material

Use personal protective equipment.

6.1.2 For emergency responders

Use safety goggles, in case of contact with the eyes.

Use chemicals resistant gloves.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Use neutralising agent.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Open and handle receptacle with care.
 Avoid contact with skin, eyes and clothing.
 Observe the general safety regulations when handling chemicals.
 Do not eat, drink or smoke during the usage of the product.
 Ensure good ventilation.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep containers tightly closed in a dry, cool, well-ventilated area.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.
 Store under lock and key and out of the reach of children.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

Sodium metasilicate | CasNo: 10213-79-3.

Workers:

Inhalation - Long-term systemic effects: 6.22 mg/m³.

Dermal - Long-term systemic effects: 1.49 mg/kg bw / d.

Consumers:

Oral - Long-term systemic effects: 0.74 mg/kg bw/ d.

Inhalation - Long-term systemic effects: 1.55 mg/m³.

Dermal - Long-term systemic effects: 0.74 mg/kg bw/d.

PNECs

Sodium metasilicate | CasNo: 10213-79-3.

PNEC - Fresh water: 7.5 mg/l.

PNEC - Marine water: 1mg/l.

PNEC - Intermittent release: 7.5 mg/l.

PNEC - Sewage treatment plant: 1000 mg/l.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Avoid contact with skin and eyes.

Do not eat, drink or smoke while using the product.

Take off contaminated clothing and wash before reuse.

Do not breathe vapours or mists.

Take appropriate protective measures with regard to the handling of chemicals and mixtures.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection

Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Chemically resistant, protective work clothing (EN 14605) and boots.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Liquid

Colour:

Yellow to orange

Odour:

Light

Odour threshold:

Not determined

(Contd. on page 6)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 5)

Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not Flammable
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined
pH at 20 °C	13.2
Kinematic viscosity	
Dynamic:	Not determined
Solubility	
water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not determined
Density and/or relative density	
Density at 20 °C:	1.06-1.08 g/cm ³
Relative density	Not determined
Vapour density	Not determined

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Not determined
Explosive properties:	Product does not present an explosion hazard.
Cloud point / clarification point:	
Oxidising properties	Not oxidising
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 6)

Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided** Stable at environment temperature.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** Avoid heat, flames, sparks, other sources of ignition.**10.5 Incompatible materials** No further relevant information available.**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 10213-79-3 Sodium metasilicate**

Oral | LD50 | 1,152-1,349 mg/kg (rat)

Dermal | LD50 | >5,000 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.**Serious eye damage/irritation** Causes serious eye damage.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:**

Sodium metasilicate pentahydrate | CasNo: 10213-79-3.

LC50(96h): 210 mg/l (Brachydanio Rerio).

EC50(48h): 1700 mg/l (Daphnia magna).

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of detergent manufacturer.

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 7)

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.


12.7 Other adverse effects**Additional ecological information:****General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN number or ID number**

ADR, IMDG, IATA

UN1760

14.2 UN proper shipping name

ADR

1760 CORROSIVE LIQUID, N.O.S.

IMDG, IATA

CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

8 Corrosive substances.

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 8)

Label	8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-A,S-B B SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S., 8, II

* **SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Regulation (EC) No.648/2004 on detergents, as amended.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 9)

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.


H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing SDS:

SUST  SUSTCHEM S.A.
CHEM REACH & Chemical Services Department
CONSULTING
 A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece
 T: +30 210 8252510 | F: +30 210 8252575
 W: www.sustchem.gr | E: info@suschem.gr

Contact:

Kalogeropoulos Chemicals S.A.

e-mail: info@kalochem.gr

Version number of previous version: 4**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.11.2021

Version number 5 (replaces version 4)

Revision: 24.11.2021

Trade name: BEROL CLEANER KL689

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**

Transition to CLP Regulation

GB