

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

ENTOMA-X AIR SPRAY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Insecticide.

1.3 Details of the supplier of the safety data sheet

Supplier

INDUPHARMA SRL

Street : Via Sorgaglia, 40

Postal code/city : 35020 Arre

Telephone : +39 049.53.10.415

Information contact : sds@indupharma.eu

1.4 Emergency telephone number

+39 049.531.0415 from 8.30 to 12.30 and from 14.00 to 17.00.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aerosol 1 ; H222 - Aerosols : Category 1 ; Extremely flammable aerosol.

Aerosol 1 ; H229 - Aerosols : Category 1 ; Pressurised container: May burst if heated.

Lact. ; H362 - Reproductive toxicity ; May cause harm to breast-fed children.

STOT SE 3 ; H336 - STOT-single exposure : Category 3 ; May cause drowsiness or dizziness.

Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

Aquatic Acute 1 ; H400 - Hazardous to the aquatic environment : Acute 1 ; Very toxic to aquatic life.

Aquatic Chronic 1 ; H410 - Hazardous to the aquatic environment : Chronic 1 ; Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Flame (GHS02) · Environment (GHS09) · Exclamation mark (GHS07)

Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H362 May cause harm to breast-fed children.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

2.3 Other hazards

The phrase H304 is not required on the label because the product is an aerosol.
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The mixture does not contain substances listed for endocrine disrupting properties according to REACH Article 59(1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

PROPELLANTS

Weight fraction : $\geq 50 - < 75$ %
Classification 1272/2008 [CLP] : Flam. Gas 1 ; H220 Press. Gas (Liq.) ; H280

N-DECANE ; EC No. : 204-686-4; CAS No. : 124-18-5

Weight fraction : $\geq 20 - < 30$ %
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304

PROPAN-2-OL ; EC No. : 200-661-7; CAS No. : 67-63-0; Index No. : 603-117-00-0

Weight fraction : < 10 %
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

PIPERONYL BUTOXIDE ; REACH No. : 01-2119537431-46-0000 ; EC No. : 200-076-7; CAS No. : 51-03-6

Weight fraction : 0,6 %
Classification 1272/2008 [CLP] : Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

PRALLETHRIN ; EC No. : 245-387-9; CAS No. : 23031-36-9; Index No. : 607-431-00-9

Weight fraction : 0,6 %
Classification 1272/2008 [CLP] : Acute Tox. 3 ; H331 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 (M=100)

ETOENPROX ; EC No. : 407-980-2; CAS No. : 80844-07-1; Index No. : 604-091-00-3

Weight fraction : 0,4 %
Classification 1272/2008 [CLP] : Lact. ; H362 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 (M Chronic=1000) • (M Acute=100)

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Following inhalation

Remove victim out of the danger area. Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact

Remove contaminated, saturated clothing immediately. Rinse immediately with plenty of water and soap. In case of skin irritation, consult a physician. If irritation persists apply an antihistaminic lotion or vitamin E.

After eye contact

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

Rinse immediately with plenty of water, with eyelids open. Remove contact lenses, if present, and rinse eyes with water at least for 15 minutes. If irritation persists, seek medical attention.

After ingestion

Rinse mouth with water, without swallowing. Seek medical attention or call a Poison Center immediately. Never give anything by mouth to an unconscious person or a person with cramps, if not authorized by a physician. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

The product can be irritating to eyes, skin and the first respiratory tracts. Pyrethroids are not highly toxic to people but the ingestion of large amounts of product may affect the Central Nervous System. Paraesthesia, hyper-excitability, tremors may appear following the blockage of nervous transmission caused by pyrethroids.

4.3 Indication of any immediate medical attention and special treatment needed

Call a Poison Center. No antidotes exist for intoxication by pyrethroids. A symptomatic treatment is required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), extinguishing powder, water haze, foam.

Unsuitable extinguishing media

Full water jet. Water is inappropriate to extinguish fire, but it is suitable to cool down the containers exposed to the flames.

5.2 Special hazards arising from the substance or mixture

Toxic and irritant gases such as carbon oxide (CO), carbon dioxide (CO₂) and nitrogen oxides may be released by thermal combustion. Avoid breathing gases. Exposure to combustion and decomposition products may be dangerous for health.

5.3 Advice for firefighters

Always wear full fire-protection equipment. If it is safe, remove the products from the fire area or cool down the containers by means full water jets to prevent pressure rise inside the containers. Collect fire-extinction water, which should not be dumped into drains. Avoid contact with product or its container without suitable protective equipment.

Special protective equipment for firefighters

Fire resistant equipment such as self-contained breathing apparatus (EN 137), fire-resistant coverall (EN 469), fire-resistant gloves (EN 659) and firemen boots.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Block the access to contaminated areas. Do not stand against the wind. Wear gloves and safety goggles and protective mask.

For non-emergency personnel

Keep away people not involved in the emergency operation. Contact the emergency staff on duty or the Fire Department.

For emergency responders

Comply with the internal emergency plan. Wear suitable protection equipment (protective clothing mask, gloves, goggles) to prevent contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. If the product has reached a waterway, the sewage system or has contaminated soil or vegetation, advise local competent Authorities.

6.3 Methods and material for containment and cleaning up

For containment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

Collect the spillage product with non-sparking tools into containers for recovery or disposal.

For cleaning up

The contaminated area should be immediately cleaned with water or cleaning agent. Retain contaminated washing water and dispose it. Provide adequate ventilation.

6.4 Reference to other sections

Further information regarding individual protection and disposal is given at paragraphs 8 and 13.

SECTION 7: Handling and storage



When using do not eat, drink, smoke.

7.1 Precautions for safe handling

Recommended safety equipment is reported at paragraph 8. After contact with skin, wash immediately with water and soap.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep away from heat, sun-light and humidity.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Hints on joint storage

Keep away from

Keep away from food, drinks and animal feeding stuff.

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place. Keep locked up and out of reach of children. Keep/Store only in original container.

7.3 Specific end use(s)

Recommendation

The product user is responsible for any damage resulting from improper use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 200 ppm / 500 mg/m³

Peak limitation : 2(II)

Remark : Y

Version : 27/10/2020

Biological limit values

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TRGS 903 (D)

Parameter : Acetone / Whole blood (B) / End of exposure or end of shift

Limit value : 25 mg/l

Version : 13/03/2020

Limit value type (country of origin) : TRGS 903 (D)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

Parameter : Acetone / Urine (U) / End of exposure or end of shift
Limit value : 25 mg/l
Version : 13/03/2020

DNEL-/PNEC-values

DNEL/DMEL

PIPERONYL BUTOXIDE ; CAS No. : 51-03-6

Limit value type : DNEL Consumer (systemic)
Exposure route : Oral
Limit value : 0,221 mg/kg bw/day
Limit value type : DNEL Consumer (systemic)
Exposure route : Inhalation
Limit value : 0,388 mg/m³
Limit value type : DNEL Consumer (systemic)
Exposure route : Dermal
Limit value : 0,221 mg/kg bw/day
Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Limit value : 1,6 mg/m³
Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Limit value : 0,443 mg/kg bw/day

PNEC

PIPERONYL BUTOXIDE ; CAS No. : 51-03-6

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 0,00148 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,00015 mg/l
Limit value type : PNEC (Sediment, freshwater)
Limit value : 0,043 mg/kg
Limit value type : PNEC (Sediment, marine water)
Limit value : 0,0043 mg/kg
Limit value type : PNEC (Soil)
Limit value : 0,111 mg/kg dw
Limit value type : PNEC (Sewage treatment plant)
Limit value : 2,89 mg/l

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Personal protection equipment



Eye/face protection

Suitable eye protection

Wear safety goggles.

Skin protection

Hand protection

Wear suitable protective gloves (DIN EN 374). Replace in case of internal contamination, break or if external contamination cannot be removed. Wash hands before eating, drinking or smoking.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

Body protection

Wear suitable protective clothing.

Respiratory protection

Recommendation Filtering Half-face mask (DIN EN 149)

Thermal hazards

No information available.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : -

Odour : characteristic

Safety characteristics

Melting point/freezing point : (1013 hPa) No data available

Freezing point : (1013 hPa) No data available

Initial boiling point and boiling range : (1013 hPa) <= 0,5 °C

Flash point : <= -10 °C

Auto-ignition temperature : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : (50 °C) No data available

Density : (20 °C) No data available

Relative density : (20 °C) No data available

pH : No data available

log P O/W : No data available

Viscosity : (20 °C) No data available

Odour threshold : No data available

Relative vapour density : (20 °C) No data available

Evaporation rate : No data available

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions(See section 7).

10.2 Chemical stability

The product is stable if stored under normal ambient temperature and pressure conditions.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

To prevent degradation, do not expose to high temperatures or frost.

10.5 Incompatible materials

PC 0.41 - Oxidizing agent

10.6 Hazardous decomposition products

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

The burning of the product may release toxic gasses dangerous for the human health.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity

Parameter : LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route : Oral
Species : Rat
Effective dose : 5840 mg/kg
Parameter : ATE (PRALLETHRIN ; CAS No. : 23031-36-9)
Exposure route : Oral
Species : Rat
Effective dose : 417 mg/kg
Parameter : LD50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)
Exposure route : Oral
Species : Rat
Effective dose : 4570 mg/kg
Parameter : LD50 (ETOFENPROX ; CAS No. : 80844-07-1)
Exposure route : Oral
Species : Rat
Effective dose : > 2000 mg/kg

Acute dermal toxicity

Parameter : LD50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)
Exposure route : Dermal
Species : Rabbit
Effective dose : > 2000 mg/kg
Parameter : LD50 (ETOFENPROX ; CAS No. : 80844-07-1)
Exposure route : Dermal
Species : Rat
Effective dose : > 2000 mg/kg

Acute inhalation toxicity

Parameter : LC50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)
Exposure route : Inhalation
Species : Rat
Effective dose : > 5,9 mg/l
Exposure time : 4 h
Parameter : LC50 (PRALLETHRIN ; CAS No. : 23031-36-9)
Exposure route : Inhalation (dust/mist)
Species : Rat
Effective dose : > 0,465 mg/l
Parameter : LC50 (ETOFENPROX ; CAS No. : 80844-07-1)
Exposure route : Inhalation
Species : Rat
Effective dose : > 5,9 g/m³
Exposure time : 4 h

Corrosion

Skin corrosion/irritation

Available data show no specific hazards.

Serious eye damage/eye irritation

Available data show no specific hazards.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

Irritation to respiratory tract

Available data show no specific hazards.

Respiratory or skin sensitisation

Skin sensitisation

Available data show no specific hazards.

Sensitisation to the respiratory tract

Available data show no specific hazards.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Carcinogenicity

Available data show no specific hazards.

Germ cell mutagenicity

Available data show no specific hazards.

Reproductive toxicity

May cause harm to breast-fed children.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Available data show no specific hazards.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Other adverse effects

The mixture does not contain substances listed for endocrine disrupting properties according to REACH Article 59(1)

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter :	LC50 (PRALLETHRIN ; CAS No. : 23031-36-9)
Species :	Oncorhynchus mykiss (Rainbow trout)
Effective dose :	0,012 mg/l
Exposure time :	96 h
Parameter :	LC50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)
Species :	Cyprinus carpio (Common Carp)
Effective dose :	3,94 mg/l
Exposure time :	96 h
Parameter :	LC50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)
Species :	Daphnia magna (Big water flea)
Effective dose :	0,51 mg/l
Exposure time :	48 h
Parameter :	LC50 (ETOFENPROX ; CAS No. : 80844-07-1)
Species :	Oncorhynchus mykiss (Rainbow trout)
Effective dose :	0,0027 mg/l
Exposure time :	96 h
Parameter :	LC50 (ETOFENPROX ; CAS No. : 80844-07-1)
Species :	Lepomis macrochirus (Bluegill)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY

Revision date : 27/01/2023

Print date : 30/01/2023

Version :

4.0.0

Effective dose : 0,017 mg/l

Exposure time : 96 h

Chronic (long-term) fish toxicity

Parameter : NOEC (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)

Species : Pimephales promelas (fathead minnow)

Evaluation parameter : Chronic (long-term) fish toxicity

Effective dose : 0,18 mg/l

Acute (short-term) toxicity to crustacea

Parameter : EC50 (PRALLETHRIN ; CAS No. : 23031-36-9)

Species : Daphnia magna (Big water flea)

Effective dose : 0,0062 mg/l

Exposure time : 48 h

Parameter : EC50 (ETOFENPROX ; CAS No. : 80844-07-1)

Species : Daphnia magna (Big water flea)

Effective dose : 0,0012 mg/l

Exposure time : 48 h

Chronic (long-term) toxicity to crustacea

Parameter : NOEC (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)

Species : Daphnia magna (Big water flea)

Evaluation parameter : Chronic (long-term) daphnia toxicity

Effective dose : 0,03 mg/l

Exposure time : 21 D

Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : EC50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)

Species : Selenastrum capricornutum

Evaluation parameter : Acute (short-term) algae toxicity

Effective dose : 3,89 mg/l

Exposure time : 72 h

Parameter : IC50 (PRALLETHRIN ; CAS No. : 23031-36-9)

Species : Pseudokirchneriella subcapitata

Effective dose : 4,5 mg/l

Exposure time : 72 h

Parameter : ErC50 (ETOFENPROX ; CAS No. : 80844-07-1)

Species : Pseudokirchneriella subcapitata

Effective dose : > 0,056 mg/l

Exposure time : 72 h

Toxicity to other aquatic plants/organisms

Parameter : NOEC (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)

Species : Selenastrum capricornutum

Evaluation parameter : Chronic (long-term) algae toxicity

Effective dose : 0,824 mg/l

Terrestrial toxicity

Toxicity to terrestrial arthropods

Insect toxicity

Parameter : LD50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)

Species : Apis mellifera (bee)

Effective dose : > 25 µg/bee

Toxicity to birds

Acute and subchronic bird toxicity

Parameter : LD50 (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)

Species : Colinus virginianus (bobwhite quail)

Effective dose : > 2250 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) (PRALLETHRIN ; CAS No. : 23031-36-9)
Bioconcentration factor (BCF)
Value : 46
Parameter : Bioconcentration factor (BCF) (ETOFENPROX ; CAS No. : 80844-07-1)
Lepomis macrochirus (Bluegill)
Value : 2565
Parameter : Partition coefficient n-octanol /water (log P O/W) (PIPERONYL BUTOXIDE ; CAS No. : 51-03-6)
Partition coefficient n-octanol /water (log P O/W)
Value : 4,8 logPow
Parameter : Partition coefficient n-octanol /water (log P O/W) (PRALLETHRIN ; CAS No. : 23031-36-9)
Value : > 2,78

12.4 Mobility in soil

Adsorption

Parameter : Log KOW (PRALLETHRIN ; CAS No. : 23031-36-9)
Effective dose : 3,12

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The mixture does not contain substances listed for endocrine disrupting properties according to REACH Article 59(1)

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Waste treatment options

Appropriate disposal / Product

Dispose according to legislation.

Appropriate disposal / Package

Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number or ID number

UN 1950

14.2 UN proper shipping name

Land transport (ADR/RID)

AEROSOLS

Sea transport (IMDG)

AEROSOLS (PIPERONYL BUTOXIDE · ETOFENPROX)

Air transport (ICAO-TI / IATA-DGR)

AEROSOLS, FLAMMABLE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 2
Classification code : 5F
Tunnel restriction code : D
Hazard label(s) : 2.1 / N

Sea transport (IMDG)

Class(es) : 2.1
EmS-No. : F-A / S-F
Hazard label(s) : 2.1 / N

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 2.1
Hazard label(s) : 2.1

14.4 Packing group

-

14.5 Environmental hazards

Land transport (ADR/RID) : Yes
Sea transport (IMDG) : Yes (P)
Air transport (ICAO-TI / IATA-DGR) : Yes

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

The classification was elaborated according to the calculation method of the Regulation (EC) No. 1272/2008 [CLP]. Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) and amendments: Regulation (CE) No. 453/2010, Regulation (CE) No. 830/2015 and Regulation (CE) No. 878/2020. Labelling according to Regulation (EC) No. 1272/2008 [CLP].

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no. : 3, 40

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

Sections 1, 2, 3, 8, 11, 12, 14.

16.2 Abbreviations and acronyms

LEGENDA:

ADR: Accord européen relative au transport international des marchandises dangereuses par route
ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS: European Inventory of Existing Commercial Chemical Substances
EC50: Effective Concentration 50

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No. 2020/878



Trade name : ENTOMA-X AIR SPRAY
Revision date : 27/01/2023
Print date : 30/01/2023

Version : 4.0.0

LC50:	Lethal Concentration 50
IC50:	Inhibitor Concentration 50
NOEL:	No Observed Effect Level
DNEL:	Derived No Effect Level
DMEL:	Derived Minimum Effect Level
CLP:	Classification, Labelling and Packaging
CSR:	Chemical Safety Report
LD50:	Lethal Dose 50
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
Codice IMDG:	International Maritime Dangerous Goods code
PBT:	Persistent, bioaccumulative and toxic
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses
STEL:	Short term exposure limit
TLV:	Threshold limit value
TWA:	Time Weighted Average
UE:	European Union
vPvB:	Very persistent very bioaccumulative
N.D.:	No data available.
N.A.:	Not applicable
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

16.3 Key literature references and sources for data

Data taken from the Safety Data Sheets of Suppliers.

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of the Regulation (EC) No. 1272/2008 [CLP].

16.5 Relevant H- and EUH-phrases (Number and full text)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.